

Discoverer STT Pro tire specifications table

Tire Size	Service Description	UTQG	Load Range	Sidewall	Approved Rim Width	Measured Rim Width	Section Width	Overall Diameter	Tire Weight	Max Load	Tread Depth
30X9.50R15LT	104Q		C	RWL	6.5 - 8.5	7.5	9.6	29.57	44	1985	19
31X10.50R15LT	109Q		C	RWL	7 - 9	8.5	10.7	30.75	48	2270	20
32X11.50R15LT	113Q		C	RWL	8 - 10	9	11.7	31.57	54	2535	20
33X12.50R15LT	108Q		C	RWL	8.5 - 11	10	12.2	32.72	60	2205	21
35X12.50R15LT	113Q		C	RWL	8.5 - 11	10	13.1	34.57	67	2535	21
LT215/85R16	115\112Q		E	BLK	5.5 - 7	6	8.5	30.59	42	2680	18.5
LT235/85R16	120\116Q		E	BLK	6 - 7.5	6.5	9.6	31.89	49	3042	18
LT245/75R16	120\116Q		E	BLK	6.5 - 8	7	9.6	30.71	47	3042	18
LT265/75R16	123\120Q		E	RWL	7 - 8	7.5	10.7	31.89	54	3415	18.5
LT285/75R16	126\123Q		E	RWL	7.5 - 9	8	11.2	32.99	61	3750	19
LT315/75R16	127\124Q		E	RWL	8 - 11	8.5	12.6	34.53	69	3860	20.5
LT305/70R16	124\121Q		E	RWL	8 - 9.5	9	12.3	32.99	62	3525	19.5
LT255/75R17	111\108Q		C	RWL	6.5 - 8.5	7	10.3	31.89	51	2405	19
LT265/70R17	121\118Q		E	RWL	7 - 8.5	8	10.7	31.93	54	3195	18.5
LT285/70R17	121\118Q		E	RWL	7.5 - 9	8.5	11.5	33.03	62	3195	19
LT295/70R17	121\118Q		E	RWL	7.5 - 10	8.5	12	33.46	65	3195	21
LT315/70R17	121\118Q		E	RWL	8 - 11	9.5	12.6	34.57	68	3195	21
LT305/65R17	121\118Q		E	BLK	8.5 - 11	9	12.3	32.68	65	3195	21
35X12.50R17LT	121Q		E	RWL	8.5 - 11	10	12.6	34.57	68	3195	21
37X12.50R17LT	124Q		D	BLK	8.5 - 11	10	13	36.77	80	3525	22
37X13.50R17LT	121Q		E	BLK	8.5 - 11	11	13.3	36.77	84	3195	22
40X13.50R17LT	121Q		C	BLK	8.5 - 11	11	13.6	39.76	92	3195	22

LT275/70 R18	125\122P	E	RWL	7 - 9	8	11.3	33.31	60	3640	20
LT295/70 R18	129\126P	E	RWL	7.5 - 10	8.5	12	34.49	68	4080	21
LT305/70 R18	126\123Q	E	RWL	8.5 - 10	9	12.4	35.08	71	3750	21
LT275/65 R18	123\120Q	E	RWL	7.5 - 9	8	10.9	32.28	59	3415	19
LT285/65 R18	125\122Q	E	RWL	8 - 10	8.5	11.8	32.91	63	3640	19
LT325/65 R18	127\124Q	E	RWL	9 - 12	9.5	13.7	34.69	78	3860	21
LT305/60 R18	121\118Q	E	RWL	8.5 - 11	9	12	32.68	65	3195	21
LT305/60 R18	126\123Q	F	RWL	8.5 - 11	9	12	32.68	66	3750	21
35X12.50 R18LT	118\0Q	D	BLK	8.5 - 11	10	12.7	34.61	70	2910	21
37X13.50 R18LT	124Q	D	BLK	8.5 - 11	11	13.3	36.77	82	3525	22
LT275/65 R20	126\123Q	E	BLK	7.5 - 9.5	8	10.9	34.49	63	3750	19.5
LT295/65 R20	129\126Q	E	BLK	8 - 10	8.5	11.7	35.43	68	4080	19.5
LT295/60 R20	126\123Q	E	BLK	8 - 10	8.5	11.5	34.29	67	3750	19.5
LT295/55 R20	123\120Q	E	BLK	8 - 10	9.5	12.3	33.07	65	3415	20
LT305/55 R20	125\122Q	F	BLK	8.5 - 11	9.5	12.4	33.5	68	3640	20.5
LT305/55 R20	121\118Q	E	BLK	8.5 - 11	9.5	12.4	33.5	69	3195	20.5
35X12.50 R20LT	121Q	E	BLK	8.5 - 11	10	12.4	34.69	69	3195	21
35X12.50 R20LT	125Q	F	BLK	8.5 - 11	10	12.4	34.69	71	3640	21
37X12.50 R20LT	126Q	E	BLK	8.5 - 11	10	12.6	36.69	77	3750	21
35X13.50 R20LT	121Q	E	BLK	8.5 - 11	11	13.2	34.57	78	3195	21
37X13.50 R20LT	127Q	E	BLK	8.5 - 12	11	13.3	36.85	82	3860	21
38X13.50 R20LT	123Q	D	BLK	8.5 - 11	11	13.6	38.19	84	3415	21
38X15.50 R20LT	128Q	E	BLK	11 - 13	12	15.4	37.83	94	3970	21
LT325/50 R22	122Q	E	BLK	9 - 12	10	12.9	35.12	77	3305	21
35X12.50 R22LT	117Q	E	BLK	8.5 - 11	10	12.3	34.76	72	2835	21
35X12.50 R22LT	121\0Q	F	BLK	8.5 - 11	10	12.3	34.76	74	3195	21
37X13.50 R22LT	123Q	E	BLK	8.5 - 12	11	13.4	36.89	82	3415	21

